



# Plywood-Boarding





Oak

Lipping with bullnose



Oak with lipping



Solid stable Plywood-Boardings are ideal for kitchen working surfaces.



Lipping is also delivered

**Selection offered:** Oak without knots, Oak with saps, Oak rustic, Beech with and without filling, Walnut, Acacia long steamed, Acacia short steamed, Maple without knots but with particles, Birch with and without knots, Elm, Bamboos, Pear, Cherry.

**Surface material:** Plywood-Boarding in various thicknesses for staircases made from natural woods, partly veneered with a depth of 4,5mm. Alternative with either an Obichi, MDF or Pine wood filling.


**Plywood-Boarding:** Worktops with and without bullnose, also delivered with oak lipping or other wood types. Ask for quotes and prices.

**Performance:** We guarantee that all our boarding is flat. The boarding is technically dried, and stuck together with environmentally friendly glues. The surfaces are smoothly sanded, thus allowing a direct surface treatment with either oil or lacquer.

**Board depths:** 12mm/16mm/18mm/27mm/30mm/38mm/40mm/45mm/50mm. Ask for specials and alternatives.

**Board sizes:** All boarding have a standard size of 2400mm x 1220mm.

**Staircase steps:** We offer a 90cm width in 10cm-strides. If wished with lipping.




As easy as 1,2,3... A new Staircase!

# Expert-Staircase-Refurbishing

... with solid wood

Beech rustic, Beech lacquered, Oak rustic, Oak lacquered,  
Walnut, Cherry, Maple

Staircase (bird's-eye view)



Refurbishing-Board; 12 mm thick,  
Width from 100 -180 cm,  
Depth 67 cm (1 Board for 2 Steps)

Refurbishing-Board

Riser-Board; 12 mm thick,  
Width from 100 -180 cm,  
Depth 40 cm (1 Board for 2 Steps)

Refurbishing-Board

For further Information: [www.lueghausen.de](http://www.lueghausen.de)

Holzvertriebszentrum Lüghausen GmbH, Am Kannenofen 20, 53721 Siegburg.

Phone: +49(0)2241-976211 • Fax: +49(0)2241-976212



27357